# Eligibility for DD Services and the SIB-R

For adults and children with intellectual and related developmental disabilities

Stacy Waldron, PhD (With assistance from Monique Marrow, PhD and Meredith Griffith, PsyD)

Division of Developmental Disabilities



# DD Eligibility Take 1

- 83-1205: Developmental disability, defined.
  - Developmental disability shall mean:
    - Mental Retardation (Intellectual Disability);

#### Supporting Documentation for ID

- The psychological evaluation must include IQ test scores, adaptive testing scores AND a diagnosis
- DX of ID can only be made by a licensed psychologist, a PhD, or PsyD or a student under supervision of either.
- MDT's are ok but must include IQ scores and adaptive skills tests scores (all scales)

#### Diagnosis vs. Diagnostic Impression

- No difference for our purposes. Clinicians use these terms interchangeably.
- Changes will come with the DSM-5
- Unable to accept
  - Provisional
  - Rule out or R/O meaning that further assessment is necessary to determine if the person meets criteria
  - Deferred meaning that the diagnosis is being put off for further assessment.

## Common Cognitive (IQ) Tests

- Wechsler Intelligence Scale
  - Wechsler Adult Intelligence Scales (WAIS)
  - Wechsler Intelligence Scales for Children (WISC)
  - Wechsler Preschool and Primary Scales (WPPSI)
- o Stanford-Binet (SB)
- Kaufman Assessment Battery for Children (KABC)
- Reynolds Intellectual Assessment Scale (RIAS)

#### USE WITH CAUTION

- Universal Nonverbal Intelligence Test (UNIT)
- Kaufman Brief Intelligence Test, (KBIT)
- Test of Nonverbal Intelligence (TONI)
- Children's Test of Nonverbal Intelligence (CTONI)
- Wechsler Abbreviated Scales of Intelligence (WASI)

## Unable to Assess/Test

- Will not complete evaluation (refuse)
  - Behavioral
  - Personality/ mental health issues
- Cannot complete evaluation (lacks capacity)
  - Doesn't have cognitive capacity to complete
  - Need documentation-licensed professional
    - Mental retardation severity unknown/intellectual disability severity unknown

# Adaptive Functioning Tests

- Vineland Adaptive Behavior Scales (VABS)
- Adaptive Behavior Assessment System (ABAS)
- Scales of Independent Behavior (SIB-R)
- Adaptive Behavior Scales
- Bayley Scales

## NOT accepted Adaptive Test

- Behavior Assessment System for Children (BASC)
- Connors Child Behavior Checklist

# Scores on Adaptive Tests

- VABS <u>Low</u> adaptive level on the subtests or V-scales at <u>9</u> or below
  - Standard scores at <u>70</u> or below
- ABAS-II- Scaled scores at <u>3</u> or below (Extremely Low)
  - Composite Scores at <u>70</u> or below
- SIB-R all subscales must be <u>limited</u> to very <u>limited</u> or below

# DD Eligibility Take 2

- 83-1205: A severe, chronic disability <u>other</u>
   <u>than</u> mental retardation or mental illness which:
  - Is attributable to a mental or physical impairment other than a mental or physical impairment <u>caused solely by</u> mental illness

# DD Eligibility Take 2(continued)

#### Results in:

- In the case of a person under three years of age, at least one developmental delay; or
- In the case of a person three years of age or older, a substantial limitation in three or more of the following major life activity, as appropriate for the person's age:
  - (A) Self-care; (B) Receptive and expressive language development and use; (C) Learning; (D) Mobility; (E)Self-direction; (F) Capacity for independent living; and (g) Economic self-sufficiency.

#### Some "chronic disabilities"

- Cerebral Palsy
- Fetal Alcohol Spectrum Disorder
- Traumatic Brain Injury (TBI)
- Acquired Brain Injury (ABI)

#### Genetic Conditions

- Trisomy 21- Down's Syndrome
- Angelmans Syndrome
- DiGeorge's syndrome
- MULTIPLE others
- Sufficient if <u>DOCUMENTED</u>

# Developmental Disorders

- Pervasive Developmental Disorder
- Autism
- Asperger's Disorder
  - All of these changed in the DSM-5 to <u>Autism</u>
     <u>Spectrum Disorder</u>

#### **DD** Documentation

- Evaluation could include a diagnosis of DD made by a licensed psychologist or a licensed medical practitioner
- Must include basis for diagnosis of DD, such as etiology or genetic testing.

## When to send to psychologist

- śśśśśśśśśśś
- Does not fit into criteria
- You can call first
- No diagnosis
- Missing items lead to questions
- It is outside of your scope

#### Documentation

- o "if it isn't written down, it didn't happen"
- o "if it IS written down, it is used in court"

#### Scales of Independent Behavior – Revised (SIB-R)

- The SIB-R is a comprehensive measure of adaptive behavior and problematic behavior.
- The SIB-R is primarily designed to measure functional independence and adaptive functioning in home, school, employment, and community settings.
- The SIB-R assesses people from infancy to 80 years and older; it assesses people with mild to profound disabilities and people without disabilities.

# SIB-R: Uses

- Identify areas for training
- Planning programs and services
- Systematic monitoring of individualized training programs
- Program evaluation
- Clinical assessment and diagnosis
- Research
- Psychometric training
- Determine eligibility for Developmental Disability Services

#### SIB-R:

# Assessed Domains and Sub-domains of Adaptive Behavior

- Motor skills: Fine motor skills, gross motor skills.
- <u>Social interaction and communication skills</u>: Language expression, language comprehension, social interaction.
- <u>Personal living skills</u>: Domestic skills, personal self-care, dressing, toileting, eating and meal preparation.
- Community living skills: Home/community orientation, work skills, money value skills, time and punctuality.
- Broad Independence Score: A measure of overall adaptive behavior based on an average of four different areas of adaptive functioning: Motor skills, social interaction and communication skills, personal living skills, and community living skills.

#### SIB-R: Sub-Domains and Statute §83-1205

- <u>Self-care</u>: Eating and meal preparation, toileting, dressing, personal self-care
- <u>Receptive/expressive language</u>: Language comprehension, language expression
- <u>Learning</u>: Time and punctuality, money and value
- Mobility: Fine motor skills, gross motor skills
- Self-direction: Social interaction
- Capacity for independent living: Home/community orientation, domestic skills
- Economic self-sufficiency: Work skills

# SIB-R: Assessed Types of Problematic Behavior

- <u>Internalized</u>: Withdrawal or inattentive behavior, unusual or repetitive behavior, hurtful to self
- <u>Externalized</u>: Disruptive behavior, destructive to property, hurtful to others
- Asocial: Uncooperative behavior, socially offensive behavior
- General Maladaptive Index Score: An aggregate measure of all problematic behavior.
- <u>Support Score</u>: Combines weighted adaptive and problematic behavior scores in an integrative score that reflects an individual's need for support and supervision.
- Note: Types of problematic behavior are not assessed by Disability Service Specialists (DSS) when determining eligibility. The General Maladaptive Index Score and the Support Score will not be generated when a DSS administers the SIB-R.

#### SIB-R: Interview-Administration

- All test items are written as precise behavioral statements of observable actions.
- Items in each subscale are arranged from easiest to hardest.
- Two respondents are chosen to respond to items contained within the SIB-R on separate occasions. Examples of appropriate respondents include, but are not limited to the person applying for eligibility, parents or caregivers, family members, guardians, or teachers.

#### SIB-R Features

- Filters Behavioral Health issues from adaptive function
- Measures responses from caregiver and subject
- Allows for examples of function
- Is a companion tool to the ICAP

#### When to use SIB-R

- FSIQ is ≤ 70 and no adaptive testing
- FSIQ is ≤ 70 and inconclusive adaptive testing
- Genetic testing positive and no adaptive testing
- PDD and no adaptive testing